Product leaflet

Røykavsug 840

Mobilt avsug for oppfanging av forurensing direkte ved kilden

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Røykavsug 840

- Mobil og lett å bære
- Nyttig i trange rom
- Ideell å koble til direkte avsug ved kilden
- Manuell Strat/stopp funksjon
- Lave service/driftskostnader

Røykavsug FE 840 er designet for å bæres til arbeidsområdet. Koblet til en avsugsdyse eller en sveisebrenner, trekker FE-enheten ut røyken direkte ved kilden. FE 840 har en manuell start/stopp-funksjon og er egnet for avtrekk av røyk fra mindre sveiseprosesser.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Røykavsug 840

Sertifiseringer	CE
Støynivå (dB(A))	73
Filtereffektivitet (%)	99,7
Installasjon	Innendørs
Materiale	Metallplate
Arbeidstrykk (kPa)	22
Slangediameter (mm)	44
[ProducHoseLength]	2.5
Spenning (V)	230
Frekvens Hz	50
Antall faser	1
Filtertype	Kassettfilter
Antall filterelementer	1
Filtermateriale	Cellulose
Elektrisk plugg	Euro (CEE 7/2 P+E)
[ItemMaxAirFlow]	150
[ItemWorkingPressure]	22
Vekt (kg)	16
Kraft (kW)	1

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item number	[ItemHVHoseDiameter]
	70840000	45
	70840443[1]	

[1] Slangeutløp på renluftssiden

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item number
	Filter, Particle for FE	70324000
	Traktmunnstykke TM-80	70851000
	Flensmunnstykke PM-300	70853000
	Traktmunnstykke TM-200	70854000
	Metallfilter kompl.. for FE 840/841	70284001
	Metallfilter for FE 840/841	70282004
	Slange Superflex ø45mm,svart,5m	70400026
	Hose Superflex ø45mm, black, 15m	70400028

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB