Product leaflet

Autogasslange NR-CP

Klemsikker gummislange (NR-CP)

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Autogasslange NR-CP

- For mere krævende og intensiv brug
- Temperaturområde: Kontinuert brug: +150 °C. Kortvarig brug: +170 °C.
- Fleksibel minimal bøjningsradius

Nedermans slanger til udstødningsgas er specielt designede, så de er smidige og har et meget lavt trykfald. De er modstandsdygtige over for alle kemikalier i udstødningsgasser fra diesel- og benzinmotorer og er meget modstandsdygtige over for mekanisk belastning.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Autogasslange NR-CP

Cerifikat	CE

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Modeller

	Art. Nr.	Slangetype	Diameter, slange (mm)	Slangelængde (m)	Vægt (kg)
	20807962[1]	NR-CP	100	5	1,15 kg/m
	20808162[1]	NR-CP	100	10	1,15 kg/m
	20820162	NR-CP	75	2,5	0,83 kg/m
	20820262	NR-CP	75	5	0,83 kg/m
	20820362	NR-CP	100	2,5	1,15 kg/m
	20808062	NR-CP	100	7,5	1,15 kg/m
	20820762	NR-CP	125	2,5	1,30 kg/m
	20820862	NR-CP	125	5	1,30 kg/m
	20821062	NR-CP	125	10	1,30 kg/m
	20821162	NR-CP	150	2,5	1,50 kg/m
	20821262	NR-CP	150	5	1,50 kg/m
	20821362	NR-CP	150	7,5	1,50 kg/m
	20821462	NR-CP	150	10	1,50 kg/m

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Modeller

	Art. Nr.	Slangetype	Diameter, slange (mm)	Slangelængde (m)	Vægt (kg)
	20810762	NR-CP	200	5	1,90 kg/m
	20823962	NR-CP	200	10	1,90 kg/m
	20377475	NR-CP	75	2,5	0,83 kg/m
	20377476	NR-CP	75	5	0,83 kg/m
	20377477	NR-CP	100	7,5	1,15 kg/m
	20377478	NR-CP	100	10	1,15 kg/m
	20377479	NR-CP	100	5	1,15 kg/m
	20377480	NR-CP	125	2,5	1,30 kg/m
	20377481	NR-CP	125	5	1,3 kg/m
	20377482	NR-CP	125	7,5	1,30 kg/m
	20377483	NR-CP	125	10	1,30 kg/m
	20377484	NR-CP	150	2,5	1,50 kg/m
	20377485	NR-CP	150	5	1,50 kg/m

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Modeller

	Art. Nr.	Slangetype	Diameter, slange (mm)	Slangelængde (m)	Vægt (kg)
	20377486	NR-CP	150	7,5	1,50 kg/m
	20377487	NR-CP	150	10	1,50 kg/m
	20377488	NR-CP	200	10	1,90 kg/m
	20377489	NR-CP	200	5	1,90 kg/m
	20377490	NR-CP	100	2,5	1,15 kg/m

[1] sort

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Tilbehør

	Tilbehør	Art. Nr.
	Gummimanchet m/slangebånd 3", par	20342489
	Slangeophæng DN 75	20373615
	Slangeophæng DN 100	20373607
	Slangeophæng DN 150	20373609
	Slangeophæng DN 125	20373608
	Gummimanchet m/slangebånd 6", par	20331552
	Gummimanchet med slangebånd, 4" 2 stk.	20342490
	Gummimanchet m/slangebånd 5", par	20342712
	Gummimanchet, slangeophæng Ø200	20373838
	Lynkobling 100mm (2 stk.)	20374641
	Tilslutningssæt 4" for lynkobling	20375048
	Mekanisk lynkobling, 4", hanstik	20375049
	Sikkerhedskobling 6" han	20376017

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Tilbehør

	Tilbehør	Art. Nr.
	Y-rør Ø100/100/100	20376647
	Slangekobling 100 (4")	20947410
	Slangekobling 125 (5")	20948710
	Slangekobling 150 (6")	20948810
	Slangekobling 200 (8")	20948910
	Y adapter 3x4" Nrcp slange	20374276
	Lynkobling D=100 (4") han	20947710
	Lynkobling D=100 (4") hun	20948110
	Lynkobling D=150 (6") hun	20948310
	Lynkobling D=150 (6") han	20947910
	Samlemuffe 3"	20373286
	Samlemuffe 4"	20373287
	Samlemuffe 5"	20373288

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Tilbehør

	Tilbehør	Art. Nr.
	Samlemuffe 6"	20373289
	Samlemuffe 8"	20373290
	Bøjning 4"	20344591
	Bøjning 5"	20344592
	Bøjning 6"	20344593
	Sikkerhedskobling 4"	20374541
	Sikkerhedskobling 6"	20374543
	Overgangsstykke 5" - 6"	20344353
	Overgangsstykke 4" - 5"	20344354
	Overgangsstykke 3"- 4"	20342483
	Slangeophæng, gummi, 4"-6"	20374530
	Samlestykke Ø 160 mm	20371413

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



Y = Pressure drop Pa/m X = Airflow m3/h A= Ø75 mm (3") on reel B= Ø75 mm (3") straight D= Ø100 mm (4") straight C= Ø100 mm (4") on reel E=Ø125 mm (5") on reel F= Ø125 mm (5") straight G= Ø150 mm (6") on reel H= Ø150 mm (6") straight

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB