

# Cable Reel 793

The power cable reel 793 is a robust and comes in 1-phase and 3-phase and is supplied with thermal overload protector.



## Cable Reel 793





- ✓ Degree of protection code: IP 55
- ✓ Tested and approved according to IEC 61316
- ✓ Rubber power cable

A heavy duty cable reel for use in industrial environments. The cable reel is available in 1-phase and 3-phase versions and supplied with thermal overload protector. The Nederman cable reel 793 accommodates power cable lengths up to 25 m (82 ft.). The cable reel components are made of composite materials and galvanized steel.

## Cable Reel 793

|                              |          |
|------------------------------|----------|
| Certifications               | CE       |
| Electric plug                | without  |
| Media                        | Power    |
| Colour                       | Black    |
| Connection cable, Length (m) | 1        |
| Weight (kg)                  | 15       |
| [ItemDistributionCableType]  | H07RN-F  |
| [ItemCorrosionResistance]    | Standard |
| [ItemElectricSpringDriven]   | Spring   |

## Models

|   | Item no  | Power Voltage (V) | No of phases | Amperage (A) | Conductors (No. x mm <sup>2</sup> ) | Distribution cable length (m) | Connection cable (No. x mm <sup>2</sup> ) | Power (kW) | Max Power (kW) when cable coiled |
|---|----------|-------------------|--------------|--------------|-------------------------------------|-------------------------------|---|------------|----------------------------------|
|  | 30700293 | 230               | 1            | 16           | 3Gx2,5                              | 18                            | 3G2,5                                     | 3,7        | 2,3                              |
|  | 30700493 | 230               | 1            | 16           | 3Gx2,5                              | 25                            | 3G2,5                                     | 3,7        | 2,3                              |
|  | 30701293 | 400               | 3            | 10           | 5Gx2,5                              | 15                            | 5G2,5                                     | 6,9        | 5,5                              |
|  | 30701493 | 400               | 3            | 10           | 5Gx2,5                              | 22                            | 5G2,5                                     | 6,9        | 5,5                              |

