Product leaflet

Floor cleaning system: Ø 63 mm

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Floor cleaning system: Ø 63 mm

- Floor nozzle with wheels and interchangeable rubber lip
- Wet suction
- Antistatic

63 mm cleaning unit used for the heaviest applications, such as collecting blasting grit, casting sand etc. where a small pressure drop across the hose is important.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Floor cleaning system: Ø 63 mm

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no
	42930000[1]
	42930100[1]

[1] EX - Suitable for combustible dust with MIE (minimum ignition energy) < 1mJ. Ensure earthing to extraction unit. Not to be used in combustible gas atomspheres or extraction of explosive materials

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item no
	Floor suct head d63/500	43840400
	Floor suct head d63/600	43840450
	Suction pipe alum d63	43843001
	Suct pipe bend alum d63	43843050
	Swivel steel d63	43843100

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB