

Industrial vacuum cleaner 426 E

Industrial vacuum cleaner for removal of large quantities of material



This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2026-01-16

1/6

Industrial vacuum cleaner 426 E

- ✓ Pre-separation in silo
- ✓ Manual filter cleaning prolongs the filter's lifetime

Industrial dry vacuum cleaner 426E is designed for removal and collection of industrial waste and spillage. This powerful dry vacuum suction unit comes equipped with a silo and cyclonic pre-separator before the filter, ensuring efficient collection of large quantities of material. The 426E Industrial vacuum can also be equipped with a HEPA filter for finer particles. The industrial vacuum cleaner includes slots for handling by forklift. Special swiveling, locking wheels are sized to increase mobility, and make the handling of heavy loads especially easy. The dry vacuum's cyclonic silo is equipped with a manual valve

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2026-01-16

2/6

Nederman

Industrial vacuum cleaner 426 E

Industrial vacuum cleaner 426 E

[ProductCertifications]	[ce]
[ProductProtectionclass]	IP44
[ProductInstallation]	[Outdoor], [Indoor]
Filter cleaning method	[ReverseAirPulse]
[ProductApplication]	[dust], [granulate], [grit], [swarf]
Dustbin volume (l)	58 l cyclonic silo + 47 l dust bin
[ProductFilterArea]	1,56 (Microfibre) 2,38 (Paper)
Power voltage (V)	230
Filter type	[cartridge]
Number of filter elements	1

Type of hose	PVC
Max airflow (m³/h)	460
Max vacuum (kPa)	-21,5
Weight (kg)	119
Hose length (m)	7,5
Hose diameter (mm)	51
Power (kW)	2,4

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



2026-01-16

3/6

Nederman

Industrial vacuum cleaner 426 E

Models

	Item no	Frequency (Hz)	No of phases	Electric plug
	42442600 ^[1]	50	1	[euro]
	42442602 ^[2]	50/60		

^[1] With cleaning set, scraping tool and conical nozzle

^[2] Cooling airfilter and thermoswitch (75 deg.). With cleaning set, scraping tool and conical nozzle

Hose types

Hose type	[HoseSpecification]	[HoseTemperatureRange]	[HoseFittingDistribution]	[HoseFittingInlet]	[HoseConnectionDistribution]	[HoseConnectionInlet]
PVC	Max vacuum 84 kPA Inner bending radius 60 mm Reinforced with inbedded steel helix	- 20 deg. C. to + 70 Deg. C.				

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2026-01-16

4/6

Nederman

Industrial vacuum cleaner 426 E

Accessories

	Accessory	Item no
	Plastic bag S50 - 25pcs w/hole	43650102
	Plastic bag S50 - 25pcs 630x800 w/h	43650103

