

Product leaflet

722A

Powerful dust collector with pre separator



722A


- ✓ High vacuum and airflow
- ✓ Dust separation from grit and granulates
- ✓ Efficient self-cleaning NCF filter

An extremely powerful vacuum unit for the collection of blasting grit and other granulated material. The combination of high vacuum and high airflow make material transport over long distance possible. Compact design, built on a frame with the possibility of transportation by forklift. Equipped with grit and dust separator. The clean grit is collected in a silo and can be re-used. The dust is trapped in a high efficient NCF filter and discharged into a dustbin or bag.

722A

[ProductCertifications]	[ce]
[ProductInstallation]	[Outdoor], [Indoor]
[ProductFiltercleaningMethod]	[ReverseAirPulse]
[ProductApplication]	[granulate], [grit], [swarf]
[ProductDustbinvolume]	67+220
[ProductFilterArea]	5,25
[ItemFilterType]	[NCF]
[ItemNbrofFilterElements]	70
[ItemTypeofhose]	PU12
[ItemMaxAirFlow]	660
[ItemMaxVaccum]	-68
[ItemWeight]	300
[ItemHVBHoseLength]	10
[ItemHVBHoseDiameter]	76

Models

	Item no
	42172200 ^[1]

^[1] With gulper head

Hose types

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
PU12	Sturdy hose. Suitable for abrasive material Transparent polyurethane (t=1,2 mm) Reinforced with inbedded steel helix	- 40 deg. C. -+ 90 Deg. C.				

Accessories

	Accessory	Item no
	Control S for NE 22-76	43220001
	Control S for NE 22-76, wo/control box	43220026
	Control S for NE86-96, wo/control box	43222008



Air Powered ejectors All performance data are based on 7 bar supply pressure