Product leaflet

Industrial vacuum cleaner 218A

Portable dust collector for dust extraction

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Industrial vacuum cleaner 218A

- perfect for very fine dust collection
- Robust design for heavy duty applications

218A industrial vacuum cleaner is the perfect machine for collection of very fine non-explosive dust. The dry vacuums filter and cleaning system provides a long interval between filter exchange which improves the productivity.

The compressed air driven ejector creates a high airflow for excellent dust and fine powder extraction. The dust collector operates with independent air cooling for improved performance. It has an efficient cyclonic pre-separation of the dust before the filter. The robust design of the dust collector makes for a safe operation in rough condition and the big wheels makes it easy to transport. The container is easy to empty plastic dust bag is available as an option.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Industrial vacuum cleaner 218A

Certifications	CE
Installation	Indoor
Filter cleaning method	Reverse air pulse
Application	Dust, Grit, Granulate, Swarf, Fumes
Dustbin volume (l)	47
Filter type	[bag]
Number of filter elements	1
Type of hose	PE/C
Compressed air requirement	2,2 Nm3/min @ 7 bar
Max airflow (m³/h)	360
Noise level (dB(A))	73.5
Max vacuum (kPa)	-42
Weight (kg)	70
Hose length (m)	7,5
Hose diameter (mm)	51

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no
	42121801

Hose types

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
PEC	For cleaning applications Max vacuum 50 kPa Conductivity < 10^6 Ohm	-40°C - +60°C				

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item no
	Control Sfor NE86-96	43222008
	Control Sfor NE 22-76	43220026
	Control Sfor NE 22-76	43220001
	Plastic bag S50 - 25pcs w/hole	43650102
	Plastic bag S50 - 25pcs 630x800 w/h	43650103

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB





This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB