Product leaflet

Manifold parts on tool, on torch extraction

Dust extraction at source is the most effective method to capture dust when grinding, sanding and cutting.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Manifold parts on tool, on torch extraction

Any dust created is captured at source

Nederman attachment kits for hand-held tools, remove dust very efficiently during grinding, sanding and cutting. These operations create large amounts of dust. Airborne dust and fine particles can be hazardous to the human health and should be extracted at source before it reaches the breathing zone. The operator should always be protected from inhaling dust. On-tool extraction provides effective extraction and also ensures excellent freedom of movement and operator flexibility. Nederman attachment kits can be attached to both electric and pneumatic tools.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Manifold parts on tool, on torch extraction

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40250050			
	40260020			
	40265020			
	40265022			
	40265023			
	40265025			
	40265026			
	40265030			
	40266010			
	40267500			
	40267503			
	40267520			
	40267710			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40267730			
	40267750			
	40267790			
	40267793			
	40267796			
	40267800			
	40267805			
	40267810			
	40271030			
	40271050			
	40271060			
	40272130			
	40272140			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40272150			
	40272160			
	40272162			
	40272170			
	40272200			
	40272320			
	40272643			
	40272660			
	40272670			
	40272680			
	40272681			
	40272682			
	40272683			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40272690			
	40272700			
	40272710			
	40273170			
	40273220			
	40273230			
	40273240[1]	60	25	1,8
	40273250[1]	60	32	1,8
	40273260[1]	60	38	1,8
	40273340			
	40278050			
	40278120			
	40278290			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40278291			
	40278295			
	40278296			
	40279950			
	40310040			
	40310350			
	40310352			
	40312000			
	40313080			
	40313360			
	40315180			
	40316000			
	40316011			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40316060			
	40403310			
	40403320			
	40403340			
	40451750			
	40501340			
	40501370			
	40503300			
	40507300			
	40507460			
	40507461			
	40509030			
	40509060			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40509100			
	40509150			
	40509160			
	40509200			
	40272161			
	40272164			
	40272165			
	40278350			
	40300190			
	40304220			
	40315210			

[1] For electric tools - The kit is composed of suction hose and coupling M40-xxP. Designed for ISO 21904 compliance.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item no
	Allen key 2,5mm	40990220
	Pin wrench	40990271

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB