Product leaflet

Manifold parts on tool, on torch extraction

Extraction at source is the most efficient capturing solution for welding fumes.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Manifold parts on tool, on torch extraction

Wherever it is a viable solution, it has been proven that extraction at source is the most effective and efficient method of capturing and removing welding and similar fumes. Using this method, the risk of the welder or operator being subject to hazardous fumes is minimized.

Many welding torches are now designed so the torch itself can easily be connected to the appropriate Nederman extraction unit to pick up most of the hazardous welding fumes. In other cases, Nederman nozzles for welding torches can be used; these are fitted to existing welding torches and are available in three different versions depending on the size of the welding torch.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Manifold parts on tool, on torch extraction

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40250050			
	40260020			
	40265020			
	40265022			
	40265023			
	40265025			
	40265026			
	40265030			
	40266010			
	40267500			
	40267503			
	40267520			
	40267710			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40267730			
	40267750			
	40267790			
	40267793			
	40267796			
	40267800			
	40267805			
	40267810			
	40271030			
	40271050			
	40271060			
	40272130			
	40272140			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40272150			
	40272160			
	40272162			
	40272170			
	40272200			
	40272320			
	40272643			
	40272660			
	40272670			
	40272680			
	40272681			
	40272682			
	40272683			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40272690			
	40272700			
	40272710			
	40273170			
	40273220			
	40273230			
	40273240[1]	60	25	1,8
	40273250[1]	60	32	1,8
	40273260[1]	60	38	1,8
	40273340			
	40278050			
	40278120			
	40278290			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40278291			
	40278295			
	40278296			
	40279950			
	40310040			
	40310350			
	40310352			
	40312000			
	40313080			
	40313360			
	40315180			
	40316000			
	40316011			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40316060			
	40403310			
	40403320			
	40403340			
	40451750			
	40501340			
	40501370			
	40503300			
	40507300			
	40507460			
	40507461			
	40509030			
	40509060			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40509100			
	40509150			
	40509160			
	40509200			
	40272161			
	40272164			
	40272165			
	40278350			
	40300190			
	40304220			
	40315210			

[1] For electric tools - The kit is composed of suction hose and coupling M40-xxP. Designed for ISO 21904 compliance.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item no
	Allen key 2,5mm	40990220
	Pin wrench	40990271

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB