产品说明书

工业高真空吸尘器 112A

Removal of grease and high viscosity material

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

工业高真空吸尘器 112A

- 配NE74泵头
- 湿式清洁
- 高真空抽吸力强
- 使用方便

该款工业高真空吸尘器用于吸运油脂和其它高粘度物料。过滤后的废料收集在塑料袋中，便于排放。该吸尘器为重载工作而设计。腔体通过托架安装到推车上。

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

工业高真空吸尘器 112A

证书	CE
除尘器类型	滤袋
滤芯数量	1
滤芯	聚酯-聚四氟乙烯
[ItemCompressedAirRequirement]	5,3 Nm3/min
[ItemMaxAirFlow]	318
[ItemMaxVaccum]	-78

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

模型

	项目编号	软管类型	[ItemHVHoseLength]	[ItemHVHoseDiameter]
	42111202[1]	PVC	7,5	51
	42111203[1]	PU12	5	38

[1] With brush and conical nozzle

软管类型

软管类型	描述	温度范围，摄氏度	管尾接头,输送软管	管尾接头，进气软管	盘管器,输送软管	盘管器,进气软管
PVC	最大真空度84 kPa，内弯曲半径60毫米，钢筋嵌入钢螺旋	- 20 deg. C. to + 70 Deg. C.				
PU12	适用于磨料、透明聚氨酯，嵌入钢螺旋钢筋	- 40 deg. C. -+ 90 Deg. C.				

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

配件

	配件	项目编号
	控制器 用于NE86-96	43222008
	控制器 用于NE 22-76	43220026
	控制器	43220001

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



Air Powered ejectors All performance data are based on 7 bar supply pressure

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB