产品说明书

工业高真空吸尘器 116A

Industrial vacuum cleaner for removal of non-flammable liquids and granules

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

工业高真空吸尘器 116A

- 配NE52泵头
- 干式和湿式清洁
- 高真空抽吸力强
- 使用方便
- 推车可倾倒，可选底部卸料

该款工业高真空吸尘器用于吸运各种不可燃液体，例如石油、化学品、泥浆、冷却液和水，以及金属碎片、沙子和其他颗粒。标准版设备的腔体可以在一到两分钟内装满液体。该吸尘器为重载工作而设计。腔体易于倾倒以便清空物料。

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

工业高真空吸尘器 116A

证书	CE
除尘器类型	滤袋
滤芯数量	1
软管类型	PVC
[ItemCompressedAirRequirement]	3,0 Nm3/min
[ItemMaxAirFlow]	342
[ItemNoiselevel]	75,5
[ItemMaxVaccum]	-52
重量（公斤）	51
[ItemHVHoseLength]	7,5
[ItemHVHoseDiameter]	51

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

模型

	项目编号
	42111600[1]
	42111607[1]

[1] With cleaning set, brush, conical and toothed nozzle

软管类型

软管类型	描述	温度范围，摄氏度	管尾接头,输送软管	管尾接头，进气软管	盘管器,输送软管	盘管器,进气软管
PVC	最大真空度84 kPa，内弯曲半径60毫米，钢筋嵌入钢螺旋	- 20 deg. C. to + 70 Deg. C.				

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

配件

	配件	项目编号
	控制器	43220001
	控制器 用于NE 22-76	43220026
	控制器 用于NE86-96	43222008

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



Air Powered ejectors All performance data are based on 7 bar supply pressure

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB