Product leaflet

116A

Industrial vacuum cleaner for removal of non-flammable liquids and granules

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

116A

- Comes with NE 52 powerhead
- Wet & Dry cleaning
- Vacuuming capacity
- Easy handling
- Tippable trolley; Bottom discharge optional

A high capacity vacuum unit for suction and transportation of various non-flammable liquids like oil, chemicals, mud, cooling liquids and water, as well as metal chips, sand, and other granules. The standard version vacuum unit can fill the container with liquids in a minute or two. Suction equipment is made for heavy duty work. The container can be tipped for ease of emptying.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

116A

Certificaciones	CE
Tipo de filtro	Mangas
Número de elementos filtrantes	1
Tipo de manguera	PVC
[ItemMaxAirFlow]	342
[ItemNoiselevel]	75,5
[ItemMaxVaccum]	-52
Peso (kg)	51
[ItemHVHoseLength]	7,5
[ItemHVHoseDiameter]	51
Aclaraciones a la ficha técnica	Con kit de limpieza, cepillo, boquerel cónico y dentado
[ItemCompressedAirRequirement]	3,0 Nm3/min

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item number
	42111600[1]
	42111607[1]

[1] Con kit de limpieza, cepillo, boquerel cónico y dentado

Hose types

Tipo de manguera	Especificación	Rango de temperatura, °C	Acoplamientos de manguera ene extremos libre, manguera de distribución	Acoplamientos de manguera ene extremos libre, manguera de entrada	Manguera de conexión en enrollador, manguera de distribución	Manguera de conexión en enrollador, manguera de entrada
PVC	Máximo vacío 84kPa. Radio de curvatura interior 60mm. Reforzada con hélice de acero embebida.	- 20 deg. C. to + 70 Deg. C.				

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item number
	Control S para NE 22-76	43220001
	Control S para NE 22-76, sin caja de control	43220026
	Control S para NE86-96, sin caja de control	43222008

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



Air Powered ejectors All performance data are based on 7 bar supply pressure

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB