

116A

Industrial vacuum cleaner for removal of non-flammable liquids and granules



116A



- ✓ Comes with NE 52 powerhead
- ✓ Wet & Dry cleaning
- ✓ Vacuuming capacity
- ✓ Easy handling
- ✓ Tippable trolley; Bottom discharge optional

A high capacity vacuum unit for suction and transportation of various non-flammable liquids like oil, chemicals, mud, cooling liquids and water, as well as metal chips, sand, and other granules. The standard version vacuum unit can fill the container with liquids in a minute or two. Suction equipment is made for heavy duty work. The container can be tipped for ease of emptying.

116A

Sertifikalalar	CE
Filtre türü	[bag]
Filtre adedi	1
Hortum tipi	PVC
[ItemMaxAirFlow]	342
[ItemNoiselevel]	75,5
[ItemMaxVaccum]	-52
Ağırlık (kg)	51
[ItemHWHoseLength]	7,5
[ItemHWHoseDiameter]	51

Models

	Item number	[ItemCompressedAirRequirement]
	42111600 ^[1]	3,0 Nm ³ /dakika
	42111607 ^[1]	3,0 Nm ³ /min

^[1] Temizleme seti, fırça, konik ve dişli nozula sahip

Hose types

Hortum tipi	Özellikler	Isı aralığı °C	Hortum bağlantısız uç, dağıtım hortumu	Hortum bağlantısız uç, hortum girişi	Hortum bağlantısı sarma mekanizması üzerinde, dağıtım hortumu	Hortum bağlantısı sarma mekanizması üzerinde, hortum girişi
PVC	Max vakum 84 kPa yarıçapı 60mm gömülü çelik helis ile güçlendirilmiştir	- 20 deg. C. to + 70 Deg. C.				

Accessories

	Accessory	Item number
	NE 22-76 için kontrol S	43220001
	NE 22-76 için kontrol S, kontrol kutusuz	43220026
	NE86-96 için kontrol S, kontrol kutusuz	43222008



Air Powered ejectors All performance data are based on 7 bar supply pressure