

Product leaflet

# 425A

Industrial vacuum cleaner for removal of industrial waste



## 425A

- ✓ Dry waste suction
- ✓ Silo pre-separator with manual outlet valve
- ✓ Fork lift handling
- ✓ Sturdy trolley system with large wheels for uneven ground
- ✓ automatic filtercleaning

Dual container system, designed for removal of industrial waste. This powerful suction unit comes equipped with a silo and filter container fitted with our exclusive nederman vyon self-cleaning filter ensuring the efficient filtration of large quantities of dust. The filter is cleaned automatically when the air supply is turned off. Special swivelling, locking wheels are sized to increase mobility, and make the handling of heavy loads especially simple. The unit is equipped with an adjustable counterweight valve and sack holder for discharge into sacks. The model include slots for handling by forklift.

## 425A

Sertifikalar	CE
Filtre türü	[cartridge]
Filtre adedi	1
Hortum tipi	PVC
[ItemCompressedAirRequirement]	3,0 Nm <sup>3</sup> /min
[ItemMaxAirFlow]	342
[ItemNoiselevel]	75,5
[ItemMaxVaccum]	-52
Ağırlık (kg)	119
[ItemHWHoseLength]	7,5
[ItemHWHoseDiameter]	51

## Models

Item number
42142500

## Hose types

Hortum tipi	Özellikler	Isı aralığı °C	Hortum bağlantısız uç, dağıtım hortumu	Hortum bağlantısız uç, hortum girişi	Hortum bağlantısı sarma mekanizması üzerinde, dağıtım hortumu	Hortum bağlantısı sarma mekanizması üzerinde, hortum girişi
PVC	Max vakum 84 kPa yarıçapı 60mm gömülü çelik helis ile güçlendirilmiştir	- 20 deg. C. to + 70 Deg. C.				

## Accessories

	Accessory	Item number
	NE86-96 için kontrol S, kontrol kutusuz	43222008
	NE 22-76 için kontrol S, kontrol kutusuz	43220026
	NE 22-76 için kontrol S	43220001



Air Powered ejectors All performance data are based on 7 bar supply pressure