

FM fan

High efficiency fan for the FM filter range



FM fan

The FM fan range is designed exclusively for direct mounting to the clean air chamber of the FM filter units. The FM fans are designed for high efficiency with low noise levels and are of the non-over-loading type. This gives a safe and reliable system with minimal power consumption when under reduced loads. The fans are only available in RD version..

FM fan

[ProductInstallation]	[Indoor], [Outdoor]
[ProductMaterial]	Galv. steel, 2 mm (FM1000 = 4 mm)

Models

	Item no	[ItemPowerVoltage]	[ItemFrequency]	[ItemNoofphases]	[ItemWeight]	[ItemPower]
	5501498	230/400	50	3	74	3
	5501537	400/690	50	3	83	4
	5501538	230/400	50	3	83	4
	5501576	230/400	50	3	95	5,5
	5501575	400/690	50	3	95	5,5
	5501612	400/690	50	3	150	7,5
	5501659	400/690	50	3	166	11
	5501660	230/400	50	3	166	11
	5501699	400/690	50	3	180	15
	5501700	230/400	50	3	180	15
	5501741	400/690	50	3	260	18,5
	5501742	230/400	50	3	260	18,5

Accessories

	Accessory	Item no
	DUAL silencer for FM600 series fan with air grille	5501813
	DUAL silencer for FM6800 series fan with air grille	5501830
	DUAL silencer for FM1000 series fan with air grille	5501854
	DUAL silencer for FM600 series fan with air grille and rain cover	5501814
	DUAL silencer for FM6800 series fan with air grille and rain cover	5501832
	DUAL silencer for FM1000 series fan with air grille and rain cover	5501855
	DUAL silencer for FM600 series fan with flanged outlet for duct connection	5501815
	DUAL silencer for FM6800 series fan with flanged outlet for duct connection	5501833
	DUAL silencer for FM1000 series fan with flanged outlet for duct connection	5501856
	Noise enclosure for FM600 fan	5501783
	Noise enclosure for FM800 fan	5501784
	Noise enclosure for FM1000 fan	5501799

