产品说明书

N16便携式风机

紧凑型离心风机，最大风量可达1250m³/h

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

N16便携式风机

- 设计紧凑
- 简单易用
- 可站立，轮子为附件
- 包括开关,电机保护器
- 符合欧盟工业风机生态设计法规(2024/1834)

尼的曼便携式风机是一种结构简单功能强大的通风设备，适用于保养、维修以及其他临时工作。是有限密闭空间内抽排焊烟，蒸汽、粉尘或提供新鲜空气的理想选择。结构紧凑便于使用，可与进风或出风软管连接，功能强大适用于各种应用场合

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

N16便携式风机

证书	CE
安装	室内, 室外
材料	风机外壳:镀锌钢板 叶轮:压铸铝
性能(最大风量m3/h)	1200
环境温度范围	-20 to +40 C (-4 F to 104 F)
电压(V)	220-240
电源相数	1
安培数(安)	4,4
重量(公斤)	15
功率 (kW)	0,55

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

模型

	项目编号	频率 (Hz)	插头类型
	14512221	50	欧式 (CEE 17/2 P+E)
	14513121	60	美式

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

配件

	配件	项目编号
	盘管器和吸嘴用于便携式风机	14346590
	便携式支架专用脚轮	14371707
	PVC盘管器，100mm管径，长5m	10500427
	PVC盘管器，管径5"，长5m	10500527
	PVC盘管器，管径6"，长5m	10500627
	Pvc-盘管器 直径.160mm.L=5m	10511026

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



A: Fan total Pressure B: Fan Static Pressure X: m3/h Y: Pa



This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB