

Hose Reel 876

Welding reel designed for maximum safety in oxygen and acetylene welding applications.



Este contenido está protegido por la ley de derechos de autor, se proporciona únicamente con fines informativos y está sujeto a cambios sin previo aviso. © Nederman Holding AB

2026-06-07

1/6

Nederman

Hose Reel 876

Hose Reel 876

- ✓ Well ventilated, single layer hose feed and storage - highest safety and easy handling without tangles.
- ✓ Open design for easy servicing
- ✓ Four-way roller guides prevent hose wear.
- ✓ Flexible - Easy to install on wall, floor or ceiling.
- ✓ Compliant with EU directives.

The Hose Reel 876 represents the ultimate solution for oxygen & acetylene or oxygen & LPG welding in terms of safety, durability and easy handling.



Hose Reel 876

[ProductCertifications]	[ce]
[ItemHoseMedia]	Oxígeno y acetileno

Modelos

	No. De Artículo	[ItemTypeofhose]	[ItemDeliveredWithHose]	[ItemDistributionHoseLength]	[ItemConnectionHoseDiameter]	[ItemDistributionHoseDiameter]	[ItemMaxworkingpressureHCR]	[ItemWeight]
	32827476 ^[1]	K	Con	12	10	10	1,4	26-30
	30831676 ^[2]		Sin				2	

^[1] UNF connections
^[2] With UNF-thread

Tipos de Mangueras

[HoseType]	[HoseSpecification]	[HoseTemperatureRange]	[HoseFittingDistribution]	[HoseFittingInlet]	[HoseConnectionDistribution]	[HoseConnectionInlet]
K	Cubierta y tubo interno de goma, trenzado de textil sintético (acc. para EN-559)	-20 - 80			Hose nipple + clip	Hose nipple + clip

Este contenido está protegido por la ley de derechos de autor, se proporciona únicamente con fines informativos y está sujeto a cambios sin previo aviso. © Nederman Holding AB

Accesorios

	Accesorio	No. De Artículo
	Pivoting bracket.	30372407

Nederman

Hose Reel 876



