

Hose Reel 884

Heavy duty hose reel for air, water, oil, diesel and grease.



This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2026-08-26

1/7

Nederman

Hose Reel 884

Hose Reel 884

- ✓ Fully protected inner mechanisms
- ✓ Strong, durable and highly corrosion resistant

- ✓ Adjustable outlet arm minimizes friction
- ✓ Easy service and cleaning.
- ✓ The recycled aluminium and composite drum reduces the environmetal impact.

Heavy duty hose reel for air, water, oil, diesel and grease. Suitable for long and heavy hoses. Made of epoxy coated die cast aluminium. Ball bearings in drum and swivel.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2026-08-26

2/7

Nederman

Hose Reel 884

Hose Reel 884

Certifications	[ce]
[ProductMaterialrecycling]	100
Connection hose length (ft)	3

Models

	Item no	Type of hose	Media	Delivered with hose	Colour	Distribution hose length (ft)	Diameter, connection hose (in)	Distribution hose diameter (in)	Max working pressure (psi)	Weight (lbs)	Corrosion resistance	Electric/Spring driven	Hose capacity (ft)
	30862584 ^[1]	D	[air], [water]	[With]	Gray	98 (30 m)	1/2 (12,5 mm)	1/2 (12,5 mm)	218	69	[Standard]	[Spring]	
	30862684 ^[1]	J	[grease]	[With]	Gray	82 (25 m)	3/8 (10 mm)	1/4 (6 mm)	5075	69	[Standard]	[Spring]	
	30862784 ^[1]	D	[oil]	[With]	Gray	49 (15 m)	3/4 (19 mm)	3/4 (19 mm)	725	69	[Standard]	[Spring]	
	30862884 ^[1]		[oil]	[Without]	Gray			3/4 (19 mm)	725	69	[Standard]	[Spring]	49 (15 m)
	30862984 ^[1]	D	[oil]	[With]	Gray	66 (20 m)	1/2 (12,5 mm)	1/2 (12,5 mm)	1088	69	[Standard]	[Spring]	
	30863084 ^[1]	G	[waterhighpressure]	[With]	Gray	82 (25 m)	3/8 (10 mm)	3/8 (10 mm)	3625	69	[Standard]	[Spring]	
	30863184 ^[1]		[waterhighpressure]	[Without]	Gray				3625	69	[Standard]	[Spring]	82 (25 m)
	30863284 ^[1]	D	[air], [water]	[With]	Gray	49 (15 m)	3/4 (19 mm)	3/4 (19 mm)	218	69	[Standard]	[Spring]	
	30863384 ^[1]		[air], [water]	[Without]	Gray								

	Item no	Type of hose	Media	Delivered with hose	Colour	Distribution hose length (ft)	Diameter, connection hose (in)	Distribution hose diameter (in)	Max working pressure (psi)	Weight (lbs)	Corrosion resistance	Electric/Spring driven	Hose capacity (ft)
	30863384 ^[1]	D	[air], [water]	[With]	Gray	66 (20 m)	1/2 (12,5 mm)	1/2 (12,5 mm)	218	69	[Standard]	[Spring]	
	30863484 ^[2]			[Without]	Gray					69	[Standard]	[Spring]	98 (30 m)
	88000581												

^[1] NPT
^[2] For 3/8 in (10 mm) or 1/2 in (12,5 mm) hose

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Hose types

Hose type	[HoseSpecification]	[HoseTemperatureRange]	[HoseFittingDistribution]	[HoseFittingInlet]	[HoseConnectionDistribution]	[HoseConnectionInlet]
D	Cover in NBR/PVC and inner tube in NBR. Syntethic textile braid	-30 - 100	Male, chrome plated		Hose nipple + clip	Hose nipple + clip
G	Cover and inner tube in synthetic rubber. Single steel braid	-40 - 155	Female 60° cone, chrome plated. With rubber hose grip	Female 60° cone, chrome plated	Male 60° cone	Male 60° cone
J	Cover and inner tube in syntetic, oil resistant rubber. Double steel braid	-40 - 100	Female 60° cone, chrome plated	Female 60° cone, chrome plated	Male 60° cone	Male 60° cone

Accessories

	Accessory	Item no
	Water gun in chromium plated brass	30400110
	Water gun in stainless steel	30400210
	Watergun EX	30400211
	High temperature water gun	30400310
	Swivelling coupling 3/8(m)-3/8(m)HP	30431310
	Swiv. coupling 3/8(m)-3/8(m) HP SS	30431410
	Swivl. coupl.1/2(m)-3/8(f) brass	30431510
	Swivl.coupl.1/2(m)-1/2(f) brass	30431610

	Accessory	Item no
--	-----------	---------

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2026-08-26

5/7

Nederman

Hose Reel 884

Accessories

	Accessory	Item no
	Swivel coupling 1/2(m)- 3/4 (f) bra	30431710
	Swivl. coupl. 1/2(m)-3/8(f) SS	30431810
	Swivl coupl. 1/2(m)-1/2(f) SS	30431910
	Swivl.coupl.1/2(m)-3/4(f) SS	30432010
	Galv. Steel Pivoting Wall Bracket FZB for 884 Hose Reel	30373667
	Inlet kit for hose reel 1/2"	30511550
	Inlet kit for hose reel	30511650
	SS Piveting Wall Bracket for 884 Hose Reel	30373668

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2026-08-26

6/7

