

Product leaflet

410E

Industrial vacuum cleaner for removal of industrial waste materials



410E


- ✓ Dry waste suction
- ✓ Silo pre-separator with manual outlet valve
- ✓ Fork lift handling
- ✓ Sturdy trolley system with large wheels for uneven ground

Dual container system, designed for removal of industrial waste. This powerful suction unit comes equipped with a silo and filter container for the removal of industrial waste materials. Special swivelling, locking wheels are sized to increase mobility, and make the handling of heavy loads simple. The silo is designed to allow the collected material to be discharged over gratings or chutes for the central collection of materials. The model include slots for handling by forklift.

410E

Certificeringen	CE
Installatie	Binnen
Filter reinigingsmethode	Mechanisch
Applicatie	Stof, Dampen, Spaanders, Granulaten
Voltage (V)	230
Frequentie (Hz)	50
Aantal fase	1
Filtertype	Cartridge filter
Aantal filterelementen	1
Stekker	Euro (CEE 7/2 P+E)
Slangtype	PE/C
[ItemMaxAirFlow]	460
[ItemNoiselevel]	75
Max. vacuüm	-21,5
[ItemHWHoseLength]	7,5
[ItemHWHoseDiameter]	51
Vermogen (kW)	2,4

Models

	Item number
	42441000 ^[1]

^[1] With cleaning set, scraping tool and conical nozzle. Floor cleaning equipment is included.

Hose types

Slang type	Specificaties	Temperatuurbereik, °C	Slangkoppelingen einde werkslang	Slangkoppelingen einde koppelslang	Slangaansluiting op de haspel, werkslang	Slangaansluiting op de haspel, koppelslang
PEC	Voor reinigingstoepassingen Max vacuüm 50 kPa Geleidbaarheid < 10 ^ 6 Ohm	-40°C - +60°C				