Product leaflet

AUTO-M

Compact filtersysteem met schudmechanisme voor licht industrieel gebruik in diverse sectoren, geschikt voor toepassingen met brandbaar stof.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

AUTO-M

- Alle toegang voor onderhoud vanaf de voorzijde van het apparaat.
- Geen noodzaak voor perslucht
- ATEX-gecertificeerd voor explosieve stof in de categorieën St1, St2 en St3
- Efficiënt, automatisch elektrisch schudmechanisme
- Weersbestendig voor het buiten positioneren

De Nederman Auto M-serie is de nieuwste generatie van de robuuste eenvoudig mechanisch schoongemaakte stofzakvangers geschikt voor niet-continu gebruik voor industriële, commerciële en educatieve locaties. De stofafscheider is netjes, compact, onopvallend en is eenvoudig aan de buitenkant schoon te maken en heeft een weerbestendige gelaste staalconstructie.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

AUTO-M

Certificeringen	CE, EX
Installatie	Buiten, Binnen
Geschikt voor explosief stof	True
Filter reinigingsmethode	schudden
Applicatie	Stof

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item number	Filtertype	Aantal filterelementen	Gewicht (kg)	Vermogen (kW)
	Z 7,5	Zakken filter	1	210	3
	Z 15	Zakken filter	1	250	3
	Z 25	Zakken filter	1	385	7,5
	Z 30	Zakken filter	1	425	7,5
	Z 50	Zakken filter	1	655	15
	Z 60	Zakken filter	1	755	15
	Z 75	Zakken filter	1	900	15
	Z 90	Zakken filter	1	1035	15

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item number
	AutoM control cabinet type 5GM13 | ELC-5GM13-110-400	7909065
	AutoM 7,5 filter bag NF101 - 3 seams (standard)	73005563
	AutoM 7,5 filter bag NF133 - 3 seams (standard)	73005565
	AutoM 15 filter bag NF101 - 3 seams (standard)	73005576
	AutoM 15 filter bag NF133 - 3 seams (standard)	73005578
	AutoM 15 filter bag NF205 - 3 seams (standard)	73005580
	AutoM 15 filter bag NF207 - 3 seams (standard)	73005581
	AutoM 25 filter bag NF101 - 3 seams (standard)	73005587
	AutoM 25 filter bag NF133 - 3 seams (standard)	73005589
	AutoM 25 filter bag NF205 - 3 seams (standard)	73005591
	Auto M 25 filter bag NF207 - 3 seams (standard)	73005592
	AutoM 30 filter bag NF101 - 3 seams (standard)	73005594
	AutoM 30 filter bag NF133 - 3 seams (standard)	73005596

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item number
	AutoM 30 filter bag NF205 - 3 seams (standard)	73005598
	Frequentieregelaar met 2 kPa druksensor, 1.5 kW. Beschermingsklasse IP 66.	73008913
	Frequentieregelaar met 5 kPa druksensor, 2.2 kW. Beschermingsklasse IP 66.	73008914
	Frequentieregelaar met 5 kPa druksensor, 4 kW. Beschermingsklasse IP 66.	73008915
	Frequentieregelaar met 5 kPa druksensor, 5.5 kW. Beschermingsklasse IP 66.	73008916
	Frequentieregelaar met 5 kPa druksensor, 7.5 kW. Beschermingsklasse IP 66.	73008917
	Frequentieregelaar met 5 kPa druksensor, 11 kW. Beschermingsklasse IP 66.	73008918
	AutoM 30 filter bag NF207 - 3 seams (standard)	73005599
	Frequentieregelaar met 5 kPa druksensor, 15 kW. Beschermingsklasse IP 66.	73008919

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB





This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB