Product leaflet

Pre-separation silo for dust collection

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Pre-separation silo for dust collection

Pre-separator for collecting and recycling of light material as dust, powder and other fine dry materials. Suitable for chemical industry and building and construction industry. The pre-separator can be used with medium to big sized extraction units like RBU`s.
The T-leg frame has space for a euro pallet between the legs for forklift handling. It contains a silo S200 with pneumatic opening, in combination with a big-bag holder. This ensure that the discharge of collected material become dustfree. S200 cyclone that takes ou
90–97% of the vacuumed material, depending on the conditions and material. The standard inlet and outlet is Ø102 (4 in).

In most vacuum collection and transport systems a pre-separation of the collected material, before the material reaches the filter is very important. To avoid clogging in the extraction unit using a preseparator is fundemental.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Pre-separation silo for dust collection

Further technical data	Inlet/Outlet Ø102 mm

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no
	42962100

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



1. Silo 200 T-legs d320: 43452041 2. Cyclone separator S200: 43530001 3. Suction outlet with flange d102: 43620300 4. Bagholder for big bag: 43640209 5. Suction inlet d102 with flange: 43882202

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB