

Product leaflet

## 106 A

Industrial vacuum cleaner for removal of non-flammable liquids and granules



## 106 A


- ✓ Comes with NE 32 powerhead
- ✓ Wet & Dry cleaning
- ✓ Vacuuming capacity
- ✓ Easy handling
- ✓ Bottom discharge optional

A high capacity vacuum unit for suction and transportation of various non-flammable liquids like oil, chemicals, mud, cooling liquids and water, as well as metal chips, sand, and other granules. The standard version vacuum unit can fill the container with liquids in a minute or two. Suction equipment is made for heavy duty work. The container is mounted to the trolley by brackets.

## 106 A

Certificeringen	CE
Filtertype	Zakken filter
Aantal filterelementen	1
Slangtype	PVC
Persluchtsbehoefte	1,6 Nm <sup>3</sup> /min
[ItemMaxAirFlow]	342
[ItemNoiselevel]	74.0
Max. vacuüm	-31
[ItemHVBHoseLength]	7,5
[ItemHVBHoseDiameter]	51

## Models

	Item number
	42110600 <sup>[1]</sup>


<sup>[1]</sup> With cleaning set, brush, conical and toothed nozzle

## Hose types

Slang type	Specificaties	Temperatuurbereik, °C	Slangkoppelingen einde werkslang	Slangkoppelingen einde koppelslang	Slangaansluiting op de haspel, werkslang	Slangaansluiting op de haspel, koppelslang
PVC	Max vacuüm 84 kPA Binnenbuigstraal 60 mm Verstevigd met verzonken stalen spiraal	- 20 deg. C. to + 70 Deg. C.				

## Accessories

	Accessory	Item number
	Control S for NE 22-76	43220001
	Control S for NE 22-76, wo/control box	43220026
	Control S for NE86-96, wo/control box	43222008



Air Powered ejectors All performance data are based on 7 bar supply pressure