Product leaflet

Industrial vacuum cleaner 160E

Light weight dry vacuum ideal for industrial floor cleaning and on-tool extraction for small grinders and sander

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Industrial vacuum cleaner 160E

- Easy to handle
- Low operating and maintenance costs
- High filtration efficiency
- Long filter lifetime (4-6000 hours) with bag filters
- Light weight

The 160E light-weight industrial vacuum cleaner makes work easier whether you are cleaning or grinding. If the dust is extracted immediately at source, the dust problem can be eliminated and the environment for both people and machines will be greatly improved.
The Nederman high vacuum dry vacuum 160E is ideal when you have quality standards for effective cleaning and dust removal. You'll also appreciate its light weight, ease-of-handling and low operating and maintenance costs. The bag filters are easy to clean and have a life-time of 4-6000 hours. With a micro filter (optional) the unit will filtrate also the finest particles. The auto start/stop for electrical tools is very useful in industrial applications.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Industrial vacuum cleaner 160E

Certifications	CE
Noise level (dB(A))	75
Protection class	IP 24
Filter efficiency (%)	99
Installation	Indoor
Material	Casing in sheet metal (steel)
Filter cleaning method	Mechanical
Application	Dust, Fumes, Granulate
Working pressure (kPa)	22
Dustbin volume (l)	14
Max Airflow (m3/h)	160
Hose Diameter (mm)	38
[ProducHoseLength]	5
Filter Area (m^2)	0.6
Frequency (Hz)	50
No of phases	1
Filter type	[bag]
Number of filter elements	1
Noise level (dB(A))	75
Max vacuum (kPa)	22
Weight (kg)	19,5

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item no	Power voltage (V)	Electric plug	Power (kW)
	40055000[1]	230	Euro (CEE 7/2 P+E)	1,4
	40055010[1]	230	DK	1,4
	40055020[1]	230	UK	1,4
	40055030[2]	110	UK	1,2

[1] Max power outtake 2100 W
[2] Max power outtake 1500 W

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item no
	Filter package PP, replacement main filter	40114250
	Microfilter D=260x70	40114100
	Hand brush NEB M40	40190020
	Brush hygiene M40	40190030
	Handbrush round 70mm D=40mm	40193080
	Nozzle crevice plasti 45x10 D=40	40193090
	Nozzle crevice 55x15 D=40	40193620
	Nozzle tapered 32-38L=230 D=40	40193130
	Nozzle tapered rubber 20-32 D=40	40193110
	Bag 520x650 plastic, 15-pack	40377026

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB