

# Industrial vacuum cleaner 115 E

Industrial dry vacuum cleaner for workshop cleaning



## Industrial vacuum cleaner 115 E

- ✓ Versatile extractor
- ✓ Perfect for workshops
- ✓ Operated on 10 Amp fuse.

Air or electric powered industrial vacuum cleaner with a single container system, designed for the collection of dry or wet materials over short distances. Versatile vacuum for use in diverse industries and institutions. The vacuum suction equipment is light and easy to handle.

## Industrial vacuum cleaner 115 E

|                                 |                                |
|---------------------------------|--------------------------------|
| Certifications                  | CE                             |
| Noise level (dB(A))             | 75                             |
| Installation                    | Indoor                         |
| Filter cleaning method          | One way filter                 |
| Application                     | Dust, Liquid, Granulate, Swarf |
| Dustbin volume (l)              | 40                             |
| Max Airflow (m <sup>3</sup> /h) | 460                            |
| Filter Area (m <sup>2</sup> )   | 0.35                           |
| Frequency (Hz)                  | 50/60                          |
| No of phases                    | 1                              |
| Filter type                     | [bag]                          |
| Number of filter elements       | 1                              |
| Filter material                 | Polyester-Teflon               |
| [ItemMaxAirFlow]                | 460                            |
| [ItemNoiselevel]                | 75                             |
| [ItemMaxVaccum]                 | -21,5                          |
| Weight (kg)                     | 50                             |
| Power (kW)                      | 2,4                            |

## Models

|                                                                                   | Item no                 | Power Voltage (V) | Type of hose | [ItemHVBHoseLength] | [ItemHVBHoseDiameter] |
|-----------------------------------------------------------------------------------|-------------------------|-------------------|--------------|---------------------|-----------------------|
|  | 42411582 <sup>[1]</sup> | 110               | PE/C         | 7,5                 | 51                    |
|  | 42411581 <sup>[1]</sup> | 230               | PE/C         | 7,5                 | 51                    |
|  | 42411501 <sup>[2]</sup> | 110               | PVC          | 7,5                 | 51                    |
|  | 42411580                | 230               | PE/C         | 5                   | 38                    |

<sup>[1]</sup> With cleaning set

<sup>[2]</sup> With cleaning set, toothed and conical nozzle

## Hose types

| Hose type | Specification                                                                     | Temperature range, °C        | Hose fittings in free hose end, distribution hose | Hose fitting on free hose end, inlet hose | Hose connection on reel, distribution hose | Hose connection on reel, inlet hose |
|-----------|-----------------------------------------------------------------------------------|------------------------------|---------------------------------------------------|-------------------------------------------|--------------------------------------------|-------------------------------------|
| PVC       | Max vacuum 84 kPa Inner bending radius 60 mm Reinforced with inbedded steel helix | - 20 deg. C. to + 70 Deg. C. |                                                   |                                           |                                            |                                     |
| PEC       | For cleaning applications Max vacuum 50 kPa Conductivity < 10 <sup>-6</sup> Ohm   | -40°C - +60°C                |                                                   |                                           |                                            |                                     |