

Industrial vacuum cleaner 570 A

portable dust collector for granulate extraction



Industrial vacuum cleaner 570 A

- ✓ Silo system with large wheels
- ✓ Forklift slots
- ✓ Self-cleaning NCF-filter

The 570A portable dust collector has high suction capacity. A dry vacuum designed for the collection of dusty materials and granules, such as steel grit, sand, coarse powders and other dusty materials. This is a powerful dust collector, excellent high vacuum for suction over long horizontal and vertical distance.

Industrial vacuum cleaner 570 A

Certifications	CE
Installation	Outdoor, Indoor
Filter cleaning method	Reverse air pulse
Application	Dust, Granulate, Grit
Dustbin volume (l)	146
Filter Area (m²)	3,15 or 5,25 depending on model (NCF) 0,59 (bag)
Filter type	Candle filter
Number of filter elements	70
Weight (kg)	203
Note	With floor cleaning equipment

Models

	Item no	Filter material	Type of hose	Compressed air requirement	Max airflow (m³/h)	Noise level (dB(A))	Max vacuum (kPa)	Hose length (m)	Hose diameter (mm)
	42157011 ^[1]	Vyon 3,15 m2	PU12	5,3 Nm³/min	318	75.0	-78	20	63
	42157047 ^[1]	Vyon 3,15 m2	PU12	4,3 Nm³/min	690	78.0	-48	20	63
	42157049 ^[1]	Vyon 3,15 m2	PU12	8,6 Nm³/min	660	78.0	-68	10	63
	42157086 ^[1]	Vyon 5,25 m2	Without	8,6 Nm³/min	660	78.0	-68		
	42157087 ^[1]	Vyon 3,15 m2	PU12	4,3 Nm³/min	330	77.0	-68	20	63


^[1] With floor cleaning equipment

Hose types

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
PU12	Sturdy hose. Suitable for abrasive material Transparent polyurethane (t=1,2 mm) Reinforced with inbedded steel helix	- 40 deg. C. - + 90 Deg. C.				

Accessories

	Accessory	Item no
	Control S for NE 22-76	43220001
	Control S for NE 22-76, wo/control box	43220026
	Control S for NE86-96, wo/control box	43222008



Air Powered ejectors All performance data are based on 7 bar supply pressure