Product leaflet

Ventilator N24, driefasing

Nedermans populairste centrifugaalventilator met een capaciteit tot 1500 m³/uur (880 CFM).

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Ventilator N24, driefasing

- Gebruiksvriendelijke ventilator met plug-and-play-aansluiting.
- Compact
- Voldoet aan de Ecodesign-verordening voor industriële ventilatoren (Ecodesign Regulation 2024/1834).

De Nederman N24 is een compacte centrifugaalventilator die speciaal is ontworpen voor gebruik met de afzuigproducten van Nederman. De N24-ventilator voldoet aan de Ecodesign-verordening voor industriële ventilatoren (Ecodesign Regulation 2024/1834).

De ventilator is eenvoudig in gebruik, beschikt over een driefasige plug-and-play-aansluiting en is CE-gecertificeerd. Met een capaciteit tot 1.500 m³/u (880 CFM) is de N24 geschikt voor de afzuiging van stof en rook in zowel binnen- als buitentoepassingen.

De ventilator is ideaal te combineren met één of meerdere Nederman-afzuigarmen, zoals de Original Arm, Telescopic Arm en NEX MD Arm, en kan worden aangestuurd met een ventilatorstarter.

Let op: de ventilator mag niet worden gebruikt in omgevingen met explosiegevaar of voor het transporteren van brandbare of explosieve gassen.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Ventilator N24, driefasing

Certificeringen	CE
Geluidsniveau (db(A))	61 dB(A) bij 1200 m³ per uur
Installatie	Binnen, Buiten
Materiaal	Materiaal: Ventilatorbehuizing gegalvaniseerd plaatstaal- Rotor: gegoten aluminium
Omgevingstemperatuur	-20 to +40 C (-4 F to 104 F)
Voltage (V)	220-240/380-420
Frequentie (Hz)	50
Aantal fase	3
Amperage (A)	3,10/1,80
Gewicht (kg)	17
Vermogen (kW)	0,9

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item number
	14510422

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item number
	Handbediende ventilatorregeling, 1 - 5A, 3 fase	14518637
	Automatische ventilatorregeling, 1 - 5A, 3 fase	14519037
	Reducer. diam.125/100mm.	14341077
	Reducer. diam.125/75mm. black.	14341080
	Adaptor Ø160/ext. Ø75 mm	14510426
	Adaptor Ø160/ext. Ø100 mm	14510526
	Adaptor Ø160 ext./Ø125 mm	14510626
	Adapter. diam 160/150mm.	14511226
	Adapter diam.=160mm.	14510326
	In- and outlet connection with	14322166
	Guard net for fan N16 and N24.	14333181
	Pvc-hose. diam.100mm.L=5m	10500427
	Pvc-hose. diam.5". l=5m.	10500527

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item number
	Pvc-hose. diam.6". l=5m.	10500627
	Pvc-hose diam. 160mm.L=5m	10511026
	Connector 3"-3". (75mm).	14503626
	Connector 4"-4". (100mm).	14504626
	Connector 5"-5". (125mm).	14505626
	Connector 6"-6". (150mm).	14506626
	Adapter diam=160mm	14511326
	Nozzle. silumin. with magnet.	14500226
	Nozzle. plastic. with magnet.	14501226
	Exhaust silencer for fan	14502126
	Silencer for fan	14502626
	Silencer.Including quick release	14502226
	Wall bracket for silencer. pair.	14343089

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item number
	Double adapter. diam.125mm/2x125mm.	14500726
	Split intake(t-tube).	14510726
	Double adapter. diam.125mm/2x75mm.	14500826
	Support bracket for N10/N16/N24 for fixed mounting. Incl guard net and inlet connection.	14510126
	Bracket for serial N16 and N24 portable	14511426
	FMS 1,6-2,5, ventilatorstarter inclusief thermische motorbeveiliging 1,6 - 2,5A	14502237

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB





A = Fan total pressure B = Fan static pressure

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB