Product leaflet

425A

Leistungsstarker Industriesauger mit Vorabscheider.



This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

425A

- Trockenabsaugung
- Vorabscheider mit manueller Entleerung
- Gabelstapler geeignet
- Rubuster Rollwagen, auch für unebene Flächen
- automatische Filterreinigung

Doppelbehältersystem, konzipiert für die Entsorgung von Industrieabfall. Dieser leistungsstarke Industriesauger ist mit Silo und Filterbehälter für die Entsorgung von Industrieabfall ausgestattet. Mit hochleistungs Filtermedien und autmonatische Abreinigung. Spezielle Schwenkvorrichtung, große Räder für mehr Mobilität, problemloser Transport schwerer Lasten. Die Silobauweise ermöglicht die Austragung von gesammeltem Material über Gitter oder Schütten für die zentrale Sammlung des Materials. Die Anlage kann mit Gegengewichtventil und Halterung für die Austragung in Beutel ausgestattet werden. Das Modell ist mit Schlitzen für den Gabelstaplertransport ausgestattet.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

425A

Certifications	[ce]
Filtertyp	Patronenfilter
Anzahl der Filter	1
Schlauchtyp	PVC
Druckluftbedarf	3,0 Nm3/min
Max. Volumenstrom (m^3/h)	342
Max. Vakuum (kPa)	-52
Gewicht (kg)	119
Schlauchlänge (m)	7,5
Schlauchdurchmesser (mm)	51

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Models

	Item number
 	42142500

Hose types


Schlauchtyp	Spezifikation	Temperature range, °C	Schlaucharmaturen freies Ende,Arbeitsschlauch	Hose fitting on free hose end, inlet hose	Schlauchanschluss, Arbeitsschlauch	Schlaucharmaturen, Anschlussschlauch
PVC	Max vacuum 84 kPA Inner bending radius 60 mm Reinforced with inbedded steel helix	- 20 deg. C. to + 70 Deg. C.				

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item number
	Schaltsystem f. Ejektor-Sauger	43222008
	Kontroll-System für NE 22-76	43220026
	Kontroll-System für NE 22-76	43220001

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



Air Powered ejectors All performance data are based on 7 bar supply pressure

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB